

Conveyor belts for treadmills




NEW

2MT12 X0-V6 FH N

High-Tech belt designed for superior performance on professional and fitness centre equipment.

- Self-lubricating
- Low energy consumption
- Static conductivity (ISO 284)



Energy absorption - Comparative chart

manufacture a
specialized
range of
treadmill belts
which meet the
most demanding
application
requirements
both for fitness
centres and home

CHIORINO

fitness.

CHIORINO traditional belts for fitness centres and home fitness.

1M6 U0-V5 FM N 1M12 U0-V5 FH N 2MT5 U0-V3 FH N 2M12 U0-V15 GPL N



This belt is particularly suitable on aqua-gym treadmills as its HP-polyurethane cover is resistant to hydrolysis and low temperatures:

1M12 U0-U3 HP PN N S

If required CHIORINO treadmill belts are also available with **CUSTOMISED LOGO**.

In cooperation with treadmill O.E.Ms, CHIORINO's R&D laboratories are always ready to design the most innovative, custom-made solutions.

Technical data									
	Top cover	Colour	Total thickness	Weight	D _{min}	Elongation pull [N/mm]		Temper. resist. [°C]	
			[mm]	[kg/m²]	[mm]	1%	max. adm.	min.	max.
2MT12 X0-V6 FH N	PVC		2,1	2,0	60	12	24	-10	+60
1M6 U0-V5 FM N	PVC		1,1	1,0	30	6	6	-10	+60
1M12 U0-V5 FH N	PVC		2,0	2,1	30	12	12	-10	+60
2MT5 U0-V3 FH N	PVC		2,1	1,9	30	6	12	-10	+60
2M12 U0-V15 GPL N	PVC		3,8	3,5	60	12	24	-10	+60
1M12 U0-U3 HP PN N S	PUR		1,5	1,6	knife edge	12	12	-30	+100



South Africa

U.S.A.

Singapore

Australia

Byelorussia

Poland

Hungary Romania

I Chiorino Veneto
I Chiorino Parma
I United Kingdom
I France
Spain
I Deutschland

Netherlands

WORLDWIDE CHIORING

CHIORINO S.p.A.Via S. Agata, 9 :: I-13900 Biella
Tel. +39 015 8489 1 :: Fax +39 015 849 61 61